

# **JBC**

[www.jbctools.com](http://www.jbctools.com)

## **INSTRUCTION MANUAL**



### **TM21**


ESD Earthing Cable

This manual corresponds to the following reference:

TM21

## Packing List

The following items are included:



ESD Earthing Cable ..... 1 unit

Manual ..... 1 unit  
Ref. 0031822

## Application

To equip an EPA (Electrostatic Protected Area) workplace, it can be used, among other items, an ESD earthing cable.


These components help to protect static-sensitive components from electrostatic discharge by dissipating charge from objects placed on their surface. This prevents sensitive components from being damaged by electrostatic discharges.

## Features

The ESD earthing cable has a length of 4,5 m / 177.17 in and is suitable for ESD table mats and floor coverings.

It comes in black color and is equipped with a protective cap, a  $\varnothing 10$  mm press stud (female) as well as a connection eyelet.


Additionally, a pair of  $\varnothing 10$  mm press stud (male) is included.



## Workplace Connection Example

In order to function correctly, connect the  $\varnothing 10$  mm press stud to the table mat connector and the connection eye to the earth connection.

The following matching accessories are sold separately: an ESD table mat, an ESD spiral earthing cable, an ESD earthing wristband and an ESD earthing plug.



# Specifications

## TM21

### ESD Earthing Cable

Ref.: **TM21**

- Length: 4.5 m / 177.17 in
- Color: Black
- Electrical resistance:  $10^6 \Omega$
- Connections:  $\varnothing 10$  mm press stud (1x) and connection eyelet (1x)
  
- Total Net Weight: 60 g / 0.13 lb
- Package Dimensions/Weight:  
(L x W x H) 92 x 48 x 136 mm / 89 g  
3.62 x 1.89 x 5.35 in / 0.20 lb

Complies with CE standards.  
ESD Safe.

# JBC

## Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour.

Warranty does not cover product wear or misuse.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.



[www.jbctools.com](http://www.jbctools.com)