



RMSE

Complete Rework System

This Plug & Play Guide corresponds to the following references:

Ref.

RMSE-9QG (100 V)
RMSE-1QG (120 V)
RMSE-2QG (230 V)

Station

More Information at the
product web page



Video Guide

Watch the
product video



Packing List

The following items are included according to purchased station reference:



2-Tool Control Unit 1 unit
 Ref. DDE-9C (100 V)
 Ref. DDE-1C (120 V)
 Ref. DDE-2C (230 V)



Power Hot Air Control Unit 1 unit
 Ref. JTSE-9UA (100 V)
 Ref. JTSE-1UA (120 V)
 Ref. JTSE-2UA (230 V)



Electric Desoldering Module 1 unit
 Ref. MSE-B



General Purpose Handle 1 unit
 Ref. T245-A
(Cartridge not included)



Pick & Place Handle 1 unit
 Ref. T260-A



Desoldering Iron 1 unit
 Ref. DR560-A
(C560003 already assembled)



Heater Hose Set 1 unit
 Ref. JT-T1A (100 V / 120 V)
 Ref. JT-T2A (230 V)



JN Nozzles for JTT 3 units
 Ref. JN2012 1x
 Ref. JN2015 1x
 Ref. JN2020 1x



Stand for T210 & T245 1 unit
Ref. AD-SF



Stand for DR560 1 unit
Ref. DR-SF



Stand for JTT 1 unit
Ref. JT-SF



Magazine for Protectors and Extractors 1 unit
Ref. ESHT-A



Holder for Cartridges and Tips 1 unit
Ref. SCH-A




Kapton Tape 1 unit
Ref. PH217



Thermocouple Type K 1 unit
Ref. PH218


Installation

DDE 2-Tool Control Unit



* Not included, sold separately.

Installation



Specifications

RMSE

Complete Rework System

Ref. **RMSE-9QG** (100 V)

Ref. **RMSE-1QG** (120 V)

Ref. **RMSE-2QG** (230 V)

- Net Weight:	14.83 kg / 32.69 lb
- Package Dimensions / Weight:	700 x 410 x 390 mm / 20.92 kg
(L x H x W)	27.56 x 16.14 x 15.35 in / 46.12 lb

Complies with CE standards.

ESD safe.

JBC

Warranty

Information regarding the warranty of each product can be found on the final page of its instruction manual.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.